



DOSATRON®

WATER POWERED DOSING TECHNOLOGY



D14MZ520 - 9 GPM SERIAL # 13400000 TO 16290362 INTERACTIVE SCHEMATICS

UNIT SPECIFICATIONS

- 1:20 - 1:5
- 7 - 57 PSI
- 3/4" NPT Connection


SUGGESTED INSTALLATION

- 200 mesh/80 micron water filter prior to the unit
- One-way check valve down-stream from the unit for water hammer protection

SUGGESTED MAINTENANCE

- Injection Seal Kit
Part #: [PJDI167](#)
For yearly maintenance

DOCUMENT INSTRUCTIONS




- Click on a part #, to visit item page
- Click arrow back from item page, to return to this document



D14MZ520

For serial numbers greater than
13400000 up to 16290362

2 m³/h - 5 - 20%
9 GPM - 1:20 - 1:5
0.5 - 4 bar
7 - 57 psi




© DOSATRON INTERNATIONAL S.A.S. 2013
D3RE25-IE/0713/D1

Seal Kit Part #: **PJDI167**
Seal Kit Part #: **PJDI167V**

D14MZ520

For serial numbers greater than
13400000 up to 16290362


2 m³/h - 5 - 20%
9 GPM - 1:20 - 1:5
0.5 - 4 bar
7 - 57 psi



D14MZ520

For serial numbers greater than
13400000 up to 16290362


2 m³/h - 5 - 20%
9 GPM - 1:20 - 1:5
0.5 - 4 bar
7 - 57 psi



D14MZ520

For serial numbers greater than
13400000 up to 16290362

2 m³/h - 5 - 20%
9 GPM - 1:20 - 1:5
0.5 - 4 bar
7 - 57 psi




© DOSATRON INTERNATIONAL S.A.S. 2013
D3RE25-IE/0713/D1

C+M

D14MZ520

For serial numbers greater than
13400000 up to 16290362


2 m³/h - 5 - 20%
9 GPM - 1:20 - 1:5
0.5 - 4 bar
7 - 57 psi



D14MZ520

For serial numbers greater than
13400000 up to 16290362

2 m³/h - 5 - 20%
9 GPM - 1:20 - 1:5
0.5 - 4 bar
7 - 57 psi




© DOSATRON INTERNATIONAL S.A.S. 2013
D3RE25-1E/0713/D1

D14MZ520

For serial numbers greater than
13400000 up to 16290362


2 m³/h - 5 - 20%
9 GPM - 1:20 - 1:5
0.5 - 4 bar
7 - 57 psi



D14MZ520

For serial numbers greater than
13400000 up to 16290362

2 m³/h - 5 - 20%
9 GPM - 1:20 - 1:5
0.5 - 4 bar
7 - 57 psi




P+IE

D14MZ520

For serial numbers greater than
13400000 up to 16290362

2 m³/h - 5 - 20%
9 GPM - 1:20 - 1:5
0.5 - 4 bar
7 - 57 psi




© DOSATRON INTERNATIONAL S.A.S. 2013
D3RE25-IE0713/D1

P+IE+D

D14MZ520

For serial numbers greater than
13400000 up to 16290362

2 m³/h - 5 - 20%
9 GPM - 1:20 - 1:5
0.5 - 4 bar
7 - 57 psi



© DOSATRON INTERNATIONAL S.A.S. 2013
D3RE25-IE/0713/D1

D14MZ520

For serial numbers greater than
13400000 up to 16290362

2 m³/h - 5 - 20%
9 GPM - 1:20 - 1:5
0.5 - 4 bar
7 - 57 psi





(Ø16)



(Ø20)

Option "V"



© DOSATRON INTERNATIONAL S.A.S. 2013
D3RE25-IE0713/D1

A